

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
-	1201	((power\$4 or feed\$4 or supply\$4 or provid\$4)near4 (power or voltage or supply))near6 ((USB or "1394" or serial)near3 (cable or connect\$4 or bus))	USPAT; US-PGPUB; IBM_TDB	2004/10/05 15:40
-	347	((power\$4 or feed\$4 or supply\$4 or provid\$4)near4 (power or voltage or supply))near6 ((USB or "1394" or serial)near3 (cable or connect\$4 or bus))) and ((detect\$4 or determin\$7)near4 voltage)	USPAT; US-PGPUB; IBM_TDB	2004/10/05 15:42
-	142	((power\$4 or feed\$4 or supply\$4 or provid\$4)near4 (power or voltage or supply))near6 ((USB or "1394" or serial)near3 (cable or connect\$4 or bus))) and ((detect\$4 or determin\$7)near6 (presence or absence))	USPAT; US-PGPUB; IBM_TDB	2004/10/05 15:44
-	1	((power\$4 or feed\$4 or supply\$4 or provid\$4)near4 (power or voltage or supply))near6 ((USB or "1394" or serial)near3 (cable or connect\$4 or bus))) and ((detect\$4 or determin\$7)near6 (presence or absence))) and (schmitt near3 trigger)	USPAT; US-PGPUB; IBM_TDB	2004/10/05 15:49
-	345	((power\$4 or feed\$4 or supply\$4 or provid\$4)near4 (power or voltage or supply))near6 ((USB or "1394" or serial)near3 (cable or connect\$4 or bus))) and ((presence or absence))	USPAT; US-PGPUB; IBM_TDB	2004/10/05 15:44
-	2	((power\$4 or feed\$4 or supply\$4 or provid\$4)near4 (power or voltage or supply))near6 ((USB or "1394" or serial)near3 (cable or connect\$4 or bus))) and (schmitt near3 trigger)) and ((presence or absence))	USPAT; US-PGPUB; IBM_TDB	2004/10/05 15:44
-	11	((power\$4 or feed\$4 or supply\$4 or provid\$4)near4 (power or voltage or supply))near6 ((USB or "1394" or serial)near3 (cable or connect\$4 or bus))) and (schmitt near3 trigger)	USPAT; US-PGPUB; IBM_TDB	2004/10/05 15:45
-	25	((power\$4 or feed\$4 or supply\$4 or provid\$4)near4 (power or voltage or supply))near6 ((USB or "1394" or serial)near3 (cable or connect\$4 or bus))) and ((detect\$4 or determin\$7)near6 (presence or absence))) and (peripheral near3 (device or apparatus))	USPAT; US-PGPUB; IBM_TDB	2004/10/05 15:49
-	487	((select\$5 or adapt\$5 or dynamic\$5)near4 (control\$4 or manag\$4 or adjust\$4 or monitor\$4))near6 (voltage or power or Vbus))same (serial or USB or "1394")	USPAT; US-PGPUB; IBM_TDB	2004/10/06 09:30
-	123	((select\$5 or adapt\$5 or dynamic\$5)near4 (control\$4 or manag\$4 or adjust\$4 or monitor\$4))near6 (voltage or power or Vbus))same (serial or USB or "1394")) and ((protect\$4 or prevent\$4 or avoid\$4)near6 voltage)	USPAT; US-PGPUB; IBM_TDB	2004/10/06 09:14
-	2	((select\$5 or adapt\$5 or dynamic\$5)near4 (control\$4 or manag\$4 or adjust\$4 or monitor\$4))near6 (voltage or power or Vbus))same (serial or USB or "1394")) and ((protect\$4 or prevent\$4 or avoid\$4)near6 voltage)) and ((presence or absence)near6 (device or apparatus))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 08:50
-	79	((select\$5 or adapt\$5 or dynamic\$5)near4 (control\$4 or manag\$4 or adjust\$4 or monitor\$4))near6 (voltage or power or Vbus))same (serial or USB or "1394")) and ((protect\$4 or prevent\$4 or avoid\$4)near6 voltage)) and ((presence or absence))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 08:51

-	3	(((((select\$5 or adapt\$5 or dynamic\$5)near4 (control\$4 or manag\$4 or adjust\$4 or monitor\$4))near6 (voltage or power or Vbus))same (serial or USB or "1394")) and ((protect\$4 or prevent\$4 or avoid\$4)near6 voltage)) and ((self or auto\$power\$3 or automatic\$5) near3 (power\$4 or feed\$4 or supply\$4 or provid\$4 or voltage)with (USB or serial or "1394"))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 09:00
-	2	(((((select\$5 or adapt\$5 or dynamic\$5)near4 (control\$4 or manag\$4 or adjust\$4 or monitor\$4))near6 (voltage or power or Vbus))same (serial or USB or "1394")) and ((protect\$4 or prevent\$4 or avoid\$4)near6 voltage)) and ((presence or absence))) and ((power\$4 or feed\$4 or supply\$4 or provid\$4 or voltage)with (USB or serial or "1394")) and ((self or auto\$power\$3 or automatic\$5) near3 (power\$4 or feed\$4 or supply\$4 or provid\$4 or voltage)with (USB or serial or "1394"))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 09:00
-	44	(((((select\$5 or adapt\$5 or dynamic\$5)near4 (control\$4 or manag\$4 or adjust\$4 or monitor\$4))near6 (voltage or power or Vbus))same (serial or USB or "1394")) and ((protect\$4 or prevent\$4 or avoid\$4)near6 voltage)) and ((presence or absence))) and ((power\$4 or feed\$4 or supply\$4 or provid\$4 or voltage)with (USB or serial or "1394"))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 09:09
-	43950	((bus\$power\$4 or bus or USB or serial or "1394")near6 (power\$4 or supply or voltage))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 09:10
-	396	((bus\$power\$4 or bus or USB or serial or "1394")near6 (power\$4 or supply or voltage)) and ((automatic\$6 near4 (monitor\$4 or observ\$4 or measur\$5 or detect\$4 or determin\$7))with (VBUS or BUS or line))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 09:13
-	73	((bus\$power\$4 or bus or USB or serial or "1394")near6 (power\$4 or supply or voltage)) and ((automatic\$6 near4 (monitor\$4 or observ\$4 or measur\$5 or detect\$4 or determin\$7))with (VBUS or BUS or line))) and ((protect\$4 or prevent\$4 or avoid\$4)near4 (device or apparatus or peripheral))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 09:17
-	0	((bus\$power\$4 or bus or USB or serial or "1394")near6 (power\$4 or supply or voltage)) and ((automatic\$6 near4 (monitor\$4 or observ\$4 or measur\$5 or detect\$4 or determin\$7))with (VBUS or BUS or line))) and ((protect\$4 or prevent\$4 or avoid\$4)near4 (device or apparatus or peripheral))same self\$power\$4)	USPAT; US-PGPUB; IBM_TDB	2004/10/06 09:21
-	12	((bus\$power\$4 or bus or USB or serial or "1394")near6 (power\$4 or supply or voltage)) and ((automatic\$6 near4 (monitor\$4 or observ\$4 or measur\$5 or detect\$4 or determin\$7))with (VBUS or BUS or line))) and (self\$power\$4)	USPAT; US-PGPUB; IBM_TDB	2004/10/06 09:18
-	3	((bus\$power\$4 or bus or USB or serial or "1394")near6 (power\$4 or supply or voltage)) and ((automatic\$6 near4 (monitor\$4 or observ\$4 or measur\$5 or detect\$4 or determin\$7))with (VBUS or BUS or line))) and ((protect\$4 or prevent\$4 or avoid\$4)near4 (device or apparatus or peripheral))) and (self\$power\$4)	USPAT; US-PGPUB; IBM_TDB	2004/10/06 09:19

-	1893	(usb or bus\$power\$3 or (serial adj bus) or "1394")near3 (power\$4 or supply)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 09:20
-	809	((usb or bus\$power\$3 or (serial adj bus) or "1394")near3 (power\$4 or supply)) same (control\$4 or manag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 09:21
-	556	((usb or bus\$power\$3 or (serial adj bus) or "1394")near3 (power\$4 or supply)) with (control\$4 or manag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 10:37
-	5	((usb or bus\$power\$3 or (serial adj bus) or "1394")near3 (power\$4 or supply)) same (control\$4 or manag\$4) and (((protect\$4 or prevent\$4 or avoid\$4)near4 (device or apparatus or peripheral))same self\$power\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 09:22
-	47	((usb or bus\$power\$3 or (serial adj bus) or "1394")near3 (power\$4 or supply)) with (control\$4 or manag\$4) and (((select\$5 or adapt\$5 or dynamic\$5)near4 (supply\$4 or manag\$4 or remov\$4 or monitor\$4))near6 (voltage or power or Vbus))same (serial or USB or "1394"))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 10:33
-	2	mariaud.inv.	USPAT; US-PGPUB; IBM_TDB	2004/10/06 10:35
-	10	mariaud.inv.	EPO; JPO; DERWENT	2004/10/06 13:59
-	0	mariaud.inv.	JPO	2004/10/06 10:37
-	31	((automatic\$6 near4 (control\$5 or manag\$4))near4 (voltage or power or supply))with (VBUS or serial or datalink or usb or "1394")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 10:39
-	26	((automatic\$6 near4 (control\$5 or manag\$4))near4 (voltage or power or supply))with (VBUS or serial or datalink)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 10:40
-	0	095230.pn.	EPO; JPO; DERWENT	2004/10/06 11:00
-	0	0952530.pn.	EPO; JPO; DERWENT	2004/10/06 10:53
-	2	"0952530"	EPO; JPO; DERWENT	2004/10/06 10:53
-	0	2000224450A	JPO	2004/10/06 10:56
-	0	224450A	JPO	2004/10/06 10:54
-	0	"224450"	JPO	2004/10/06 10:54
-	0	224450A.pn.	JPO	2004/10/06 10:54
-	0	224450A.apn.	JPO	2004/10/06 10:55
-	0	02224450A	JPO	2004/10/06 10:55
-	0	jp2000224450A	JPO	2004/10/06 11:05
-	0	jp2000305676A	JPO	2004/10/06 10:56
-	1	jp2000305676A	EPO; JPO; DERWENT	2004/10/06 10:57
-	1	jp2000224450A	EPO; JPO; DERWENT	2004/10/06 10:57
-	0	ep095230	EPO; JPO; DERWENT	2004/10/06 11:01
-	0	ep0952530	EPO; JPO; DERWENT	2004/10/06 11:01
-	690	epo "0952530"	EPO; JPO; DERWENT	2004/10/06 11:02
-	11	"67137"	EPO; JPO; DERWENT	2004/10/06 11:03

-	0	00/67137	EPO; JPO; DERWENT	2004/10/06 11:03
-	1461704	wo 00/67137	EPO; JPO; DERWENT	2004/10/06 11:03
-	0	nitincpatel.xa.	USPAT	2004/10/06 11:55
-	339	nitin.xa.	USPAT	2004/10/06 11:56
-	223	nitin.xa. and Patel	USPAT	2004/10/06 11:56
-	223	nitin.xa. and (C. Patel)	USPAT	2004/10/06 11:56
-	77	nitin.xa. and (713/\$.ccls.)	USPAT	2004/10/06 12:18
-	286	(detect\$4 or determin\$8 or identif\$7 or recogniz\$8)near6 (self\$power\$4 or bus4power\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 12:19
-	292	(detect\$4 or determin\$8 or identif\$7 or recogniz\$8)near6 (self\$power\$4 or bus\$power\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 12:20
-	0	((detect\$4 or determin\$8 or identif\$7 or recogniz\$8)near6 (self\$power\$4 or bus\$power\$4)) and ((protect\$4 or prevent\$4 or avoid\$4)same self\$power\$4)) and ((peripheral or usb)near4 (device or apparatus))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 12:21
-	1	((detect\$4 or determin\$8 or identif\$7 or recogniz\$8)near6 (self\$power\$4 or bus4power\$4)) same ((peripheral or usb or serial\$4 or "1394")with (device or apparatus))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 12:22
-	4	((detect\$4 or determin\$8 or identif\$7 or recogniz\$8)near6 (self\$power\$4 or bus\$power\$4)) and ((protect\$4 or prevent\$4 or avoid\$4)same self\$power\$4)) and ((peripheral or usb or serial\$4 or "1394")with (device or apparatus))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 12:24
-	46	((detect\$4 or determin\$8 or identif\$7 or recogniz\$8)near6 (self\$power\$4 or bus\$power\$4)) and ((protect\$4 or prevent\$4 or avoid\$4)same self\$power\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 12:23
-	10	((detect\$4 or determin\$8 or identif\$7 or recogniz\$8)near6 (self\$power\$4 or bus\$power\$4)) and ((protect\$4 or prevent\$4 or avoid\$4)same self\$power\$4)) and ((peripheral or usb or serial\$4 or "1394"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 12:24
-	36	(bus adj power\$4)near3 (device or apparatus)	EPO; JPO; DERWENT	2004/10/06 14:13
-	160	(bus adj power\$4)near3 (device or apparatus)	USPAT; US-PGPUB; IBM_TDB	2004/10/06 14:13
-	11	((bus adj power\$4)near3 (device or apparatus)) and ((select\$5 or adapt\$5 or control\$4 or manag\$5)near5 ((line adj voltage) or VBUS or (bus adj voltage)))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 15:41
-	95	((bus adj power\$4)near3 (device or apparatus)) and (usb or serial or "1394")	USPAT; US-PGPUB; IBM_TDB	2004/10/06 15:44
-	11	((bus adj power\$4)near3 (device or apparatus)) and ((control\$4 or manag\$5)near5 ((line adj voltage) or VBUS or (bus adj voltage)))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 15:42
-	775	((schmitt adj trigger)same ((control\$4 or manag\$4)near3 (power or voltage or supply)))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 15:53
-	70	((schmitt adj trigger)same ((control\$4 or manag\$4)near3 (power or voltage or supply)))) and (usb or serial or "1394")	USPAT; US-PGPUB; IBM_TDB	2004/10/06 15:53

-	0	(((((schmitt adj trigger)same ((control\$4 or manag\$4)near3 (power or voltage or supply)))) and (usb or serial or "1394")) and ((supply adj (voltage or power))near6 (presen\$4 adj3 second))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 15:47
-	0	(((((schmitt adj trigger)same ((control\$4 or manag\$4)near3 (power or voltage or supply)))) and ((supply adj (voltage or power))near6 (presen\$4 adj3 second))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 15:48
-	0	(((((schmitt adj trigger)same ((control\$4 or manag\$4)near3 (power or voltage or supply)))) and ((supply adj (voltage or power))same (presen\$4 adj3 second))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 15:48
-	123	((((source or supply) adj (voltage or power))same (presen\$4 adj3 second))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 15:48
-	12	(((((source or supply) adj (voltage or power))same (presen\$4 adj3 second))) and (USB or SERIAL or "1394"))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 15:49
-	258	((schmitt adj trigger)same ((control\$4 or manag\$4)near3 (power or voltage or supply)))	EPO; JPO; DERWENT	2004/10/06 16:04
-	1	(((((schmitt adj trigger)same ((control\$4 or manag\$4)near3 (power or voltage or supply)))) and (usb or serial or "1394"))	EPO; JPO; DERWENT	2004/10/06 15:53
-	39	(((((schmitt adj trigger)same ((control\$4 or manag\$4)near3 (power or voltage or supply)))) and (usb or serial or "1394")) and ((memory or storage)same control\$4)	USPAT; US-PGPUB; IBM_TDB	2004/10/06 16:03
-	0	protect\$4 near4 (self\$power\$3 adj4 usb)	USPAT; US-PGPUB; IBM_TDB	2004/10/06 15:58
-	0	protect\$4 near4 (self\$power\$3 adj4 usb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 15:58
-	0	protect\$4 near9 (self\$power\$3 adj4 usb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 15:58
-	172	protect\$4 near6 (usb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 15:58
-	11	(protect\$4 near6 (usb)) and (bus adj power\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 15:59
-	0	(((((schmitt adj trigger)same ((control\$4 or manag\$4)near3 (power or voltage or supply)))) and ((memory or storage)same control\$4)	USPAT; US-PGPUB; IBM_TDB	2004/10/06 16:03
-	18	((schmitt adj trigger)same (usb or serial or "1394"))	EPO; JPO; DERWENT	2004/10/06 16:06
-	1	((schmitt adj trigger)same (usb))	EPO; JPO; DERWENT	2004/10/06 16:06
-	3	((schmitt adj trigger)and (usb))	EPO; JPO; DERWENT	2004/10/06 16:07
-	40	((schmitt adj trigger)and (usb))	USPAT; US-PGPUB; IBM_TDB	2004/10/06 16:08
-	1	(((((schmitt adj trigger)and (usb))) and (memory or storage)) and (VBUS)	USPAT; US-PGPUB; IBM_TDB	2004/10/06 16:09
-	7	(((((schmitt adj trigger)and (usb))) and (memory or storage)) and (bus adj power\$4)	USPAT; US-PGPUB; IBM_TDB	2004/10/06 16:09

-	27	((schmitt adj trigger)and (usb))) and (memory or storage)	USPAT; US-PGPUB; IBM_TDB	2004/10/06 16:11
-	3	((usb near4 (device or apparatus or peripheral))near6 (protect\$4 or prevent\$4 or avoid\$4 or eliminat\$4))same ((bus adj power\$4) or VBUS or self\$power\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 08:46
-	1	((usb near4 (device or apparatus or peripheral))near6 (protect\$4 or prevent\$4 or avoid\$4 or eliminat\$4))same ((enabl\$4 or disabl\$4)near5 pull\$up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 08:46
-	132	((usb near4 (device or apparatus or peripheral))near6 (protect\$4 or prevent\$4 or avoid\$4 or eliminat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 08:48
-	4	((usb near4 (device or apparatus or peripheral))near6 (protect\$4 or prevent\$4 or avoid\$4 or eliminat\$4))) and ((enabl\$4 or disabl\$4)near5 pull\$up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 08:47
-	1	((usb near4 (device or apparatus or peripheral))near6 (protect\$4 or prevent\$4 or avoid\$4 or eliminat\$4))) and ((disabl\$4)near6 Vbus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 08:48
-	3	((usb near4 (device or apparatus or peripheral))near6 (protect\$4 or prevent\$4 or avoid\$4 or eliminat\$4))) and ((control\$4 or manag\$4 or monitor\$4)with (VBUS or dataline or datalink))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 08:50
-	11	((usb near4 (device or apparatus or peripheral))near6 (protect\$4 or prevent\$4 or avoid\$4 or eliminat\$4))) and ((bus adj power\$4) or VBUS or self\$power\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 08:52
-	5	((automatic\$5 or adapt\$6 or switch\$4 or select\$5)near6 (bus\$power\$4 or VBUS))same self\$power\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 08:54
-	52	(detect\$4 or determin\$6 or recogni\$7 or identif\$8)with (self\$power\$3 near3 (device or apparatus or peripheral))	USPAT; US-PGPUB; IBM_TDB	2004/10/07 11:07
-	1	((detect\$4 or determin\$6 or recogni\$7 or identif\$8)with (self\$power\$3 near3 (device or apparatus or peripheral))) same (prevent\$4 or protrect\$4)	USPAT; US-PGPUB; IBM_TDB	2004/10/07 11:07
-	3	((detect\$4 or determin\$6 or recogni\$7 or identif\$8)with (self\$power\$3 near3 (device or apparatus or peripheral))) same (usb or serial "1394")	USPAT; US-PGPUB; IBM_TDB	2004/10/07 11:09
-	17	((detect\$4 or determin\$6 or recogni\$7 or identif\$8)with (self\$power\$3 near3 (device or apparatus or peripheral))) and (usb or serial "1394")	USPAT; US-PGPUB; IBM_TDB	2004/10/07 11:09
-	37	(detect\$4 or determin\$6 or recogni\$7 or identif\$8)near6 (self\$power\$3 near3 (device or apparatus or peripheral))	USPAT; US-PGPUB; IBM_TDB	2004/10/07 11:12
-	3	(detect\$4 or determin\$6 or recogni\$7 or identif\$8)near6 (self\$power\$3 near6 (usb or serial or "1394"))	USPAT; US-PGPUB; IBM_TDB	2004/10/07 11:13
-	3	(detect\$4 or determin\$6 or recogni\$7 or identif\$8)near6 (self\$power\$3 near6 (usb or serial or "1394"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 11:14

-	61	(self\$power\$3 near6 (usb or serial or "1394"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 12:15
-	2	5799196.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 12:17
-	2	6539484.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 12:17